

Message

From: Bohnenblust, Eric [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0331C49AEB404367AD226F6BD10D795D-BOHNENBLUST]
Sent: 11/17/2020 7:31:42 PM
To: Mendelsohn, Mike [Mendelsohn.Mike@epa.gov]
CC: Piper, Maya [Piper.Maya@epa.gov]
Subject: RE: Oxitec CMS Letter: AX-21-000-0727
Attachments: AX-21-000-0727 ewb1117.docx

Mike,

Attached is a revised draft with my edits and comments on the response to the inquiry Maya's group received below. I don't think the attachments on her email will come through, I will forward those as well. Maya is looking for this by EOD Thursday.

Thanks.

Eric Bohnenblust, Ph.D
Senior Biologist
Emerging Technologies Branch (ETB)
Biopesticides and Pollution Prevention Division (BPPD)
Phone: 703-347-0426
Email: Bohnenblust.eric@epa.gov

From: Piper, Maya <Piper.Maya@epa.gov>
Sent: Tuesday, November 17, 2020 10:30 AM
To: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>
Subject: Oxitec CMS Letter: AX-21-000-0727

Hi Eric,

We recently received a CMS letter regarding Oxitec's EUP. The letter and my drafted response are attached. Please review by EOD Thursday.

Thanks,

Maya Piper (*she/her/hers*)
Communications Branch
Office of Chemical Safety and Pollution Prevention
U.S. Environmental Protection Agency
Office: (202) 731-8966 | Cell: (231) 493-2745